

### jardinico®



## PREMIUM

An intuitive view on shade solutions paying tribute to craftsmanship and technical insight was translated into the Caractère collection. A premium outdoor umbrella allowing unlimited shade possibilities and discreet luxury to your garden or terrace. Quality, aesthetics and durability merge together in a modern, chic and demanding world on exterior living.

Caractère creates an elegant aesthetic that respects the architectural vision of any space. A collection that is designed with an eye for every detail and finished with the greatest care. Its versatile use makes each piece the perfect umbrella as a finishing touch for any outdoor area.

All Jardinico<sup>®</sup> Caractère designs are internationally registered.

#### **PRODUCT TYPE**

Mid pole aluminium JCP.1 series JCP.2 series

62 64

Free po	le a	luminium
---------	------	----------

JCP.3 series	68
JCP.4 series	72
JCP.5 series	78
JCP.6 series	80

#### **JCP.1 SERIES**

Gallery Technical

> JCP.102 - 230 x 230 cm 63

9

#### **JCP.2 SERIES**

Gallery 17 Technical JCP.201 - 400 x 400 cm 65 JCP.202 - 500 x 500 cm 66 JCP.203 - ø 450 cm 67

**JCP.3 SERIES** 

Gallery	25
Technical	
JCP.301 - 300 x 300 cm	69
JCP.302 - 260 x 260 cm	70
JCP.303 - ø 350 cm	71

#### **JCP.4 SERIES**

Gallery	35
Technical	
JCP.401 - 370 x 370 cm	73
JCP.402 - 425 x 300 cm	74
JCP.403 - ø 400 cm	75
JCP.404 - 250 x 350 cm	76

#### 45 **JCP.5 SERIES** Gallery Technical JCP.501 - 4 \* 300 x 300 cm 79

**JCP.6 SERIES** 

Gallery Technical

51 JCP.601 - 2 \* 300 x 300 cm 81

SPECIFICATIONS
----------------

Technical	61
Materials	83
Protection & maintenance	89



# ERIES S 5

A perfect match for any project around the world, outdoor umbrellas that blend in seamlessly with the environment. Caractère One Series surprises thanks to its sturdiness.

With a canopy incline of 10°, the umbrella looks enormously flat, drawing attention to its sleek lines with an elegant touch.




10 JCP.1 SERIES











JCP.102 230 x 230 cm A32 black C210 pitch





Two series offers outdoor umbrellas that play a central role on your patio. A true eye-catcher, providing up to 25 m<sup>2</sup> of shade. Thanks to a telescopic system, you can smoothly open and close the sturdy umbrella at arm height without touching other furniture.

Despite their enormous strength, the umbrellas are very mobile and supported by a base of 158 kg - 348 lbs.






JCP.202 500 x 500 cm A01 white C003 pearl

FLEXX bistro














The most iconic series from Caractère. Three Series includes umbrellas that are the heart of your garden, perfect for shelter and protection from the bright sun rays. Every model is extremely convenient to move and operate. By means of the slider, you can easily move this parasol into every desired position and turn it 360° without having to move its base.













Caractère collection gets its strength from its frame. All parts of the frame are made from aluminium, such as the interior and the full opening system. An extra strong aluminium frame with a profile thickness of 3 mm and a seamless, elegant transition from the frame to the accompanying parasol base.















Four series is home to a variety of environments all over the world. You may find them in both private use and large projects such as hotels, public buildings, resorts and pool areas.

An exceptionally sturdy outdoor umbrella with an elegant and luxurious appearance. Supported by a 245 kg - 540 lbs base and its dimensions, this series is the perfect marriage between Belgian design, enormous strength and guaranteed quality.





JCP.404 250 x 350 cm A31 charcoal C011 cotton SCOOP lounge









JCP.401 370 x 370 cm A12 alu teak C011 cotton





The outdoor umbrella bases of Caractère were exclusively designed in Belgium. Hot galvanised and powder coated steel plates, each with a thickness of 15 mm, give a modern and sophisticated look to each base. The heavy weight provides extremely stable support for carefree enjoyment of the outdoors.





A sturdy full aluminium frame ensures that you can operate such a large umbrella with the greatest of ease. Tilt in height or turn your umbrella 360° around its axis, depending on the position of the sun and where you want your shade.







RIES ш ら

Five series has proven to be the ideal model for hospitality. With four seperate outdoor umbrellas of 300 x 300 cm on one central pole, this model offers no less than 40 m<sup>2</sup> of shade. Each parasol can be tilted in height and opened individually.

Gutters are available to connect them to each other and enable large areas to have complete, uninterrupted coverage from the sun or rainy weather conditions.









JCP.501 3\* 300 x 300 cm A12 alu teak C003 pearl FLEXX bistro








ERIES ら 

An umbrella that will grace every large outdoor area by its Belgian design. The JCP.601 combines two outdoor umbrellas of 300 x 300 cm that can be opened, closed and tilted in height individually. Together they provide 18 m<sup>2</sup> of shade. Thanks to one pole, the space underneath can be used optimally which makes this sunshade ideal for catering projects.






















Technical SPECIFICATIONS

The representation of colours, dimensions and weights may differ from reality as may variations when a product is handmade. Dimensions and technical details are subject to change without prior notice. Jardinico reserves the right to make any improvements such as technological and aesthetical modifications to its models, including adjustments of sizes and materials when it comes to technical developments or availibility of raw materials.

More information, accompanying videos about the collections and technical data sheets of each product can always be consulted or downloaded on our website www.jardinico.com.



# JCP.1 SERIES

Full aluminium frame.

Light, compact and strong.



Belgian design.

✓ Ideal for hospitality projects, smaller terraces or along the swimming pool.

FRAME	Mid pole umbrella with push-up system. Pole and ribs are aluminium powder coated. Pole profile: 40 x 40 x 1.5 mm, 1.6 x 1.6 x 0.06". Ribs profile: 22 x 22 x 1.6 mm, 0.9 x 0.9 x 0.06".
CANOPY	320g/m² Sunbrella® Plus, 100% solution dyed acrylic. 啦 Fast stock: canopies available from stock.
BASE	Two hot galvanised steel plates, powder coated.
TILT & ROTATION	Not applicable.
WIND SPEED	43 km/h, 26.7 mph - Maximum wind speed to which the umbrella may be exposed.



JCP.102 - 230 x 230 cm

17 kg, 37.5 lbs nett excl. base

# 230 X 230 CM

# UMJCP.102 FRAME & CANOPY

_		A01C101 white & cloud
COMBO		A12C001 alu teak & natural
		A31C101 charcoal & cloud
FIXED		A31C204 charcoal & night
		A32C208 black & black

## UFJCP.102 FRAME


		A01 white			A02 silver	
		A12 alu teak			A31 charcoal	
		A32 black				
& MATCH	UCJCP.1	02 CANOPY				
& M		C003 pearl	Ŭ=		C011 cotton	Ē
MIX		<b>C100</b> ice	Ū.		<b>C207</b> onyx	Ē
		C305 umber	Ē.			
		C107 mooncrest			C210 pitch	
		C416 sapphire		Free pick: O	ther fabrics available upon requ	uest.

#### UBJCP.15 BASE

S01 white	S02 silver
<b>S31</b> charcoal	<b>S32</b> black

#### PROTECTION COVER

	UPJCP.1S-X77	black
--	--------------	-------



All dimensions exclude the base.

\* Stainless steel LOXX® to easily attach the canopy to the frame and detach it.



# BASE

Base with 4 wheels that rotate 360°,

- each with brakes to fix the umbrella.
- · Has the same colour as its frame.

For an alu teak frame, we provide a charcoal base.




# JCP.2 **SERIES**

V Full aluminiu	n frame.	
Large and rol	bust with 25 m² of shade.	JCP.201 - 400 x 400 cm
	<b>Dening system:</b> and close without touching other furniture.	
Gutters available to connect multiple umbrellas.		
V Perfect for lar	ge terraces.	
FRAME	Mid pole umbrella with crank handle and telescopic	JCP.202 - 500 x 500 cm
	opening system. Pole and ribs are aluminium powder coated. Pole profile: 80 x 80 x 2.8 mm, 3.2 x 3.2 x 0.1". Ribs profile: 32 x 32 x 1.6 mm, 1.3 x 1.3 x 0.06".	
CANOPY	320g/m² Sunbrella® Plus, 100% solution dyed acrylic. =ੴ Fast stock: canopies available from stock.	
BASE	2 hot galvanised steel plates, powder coated.	
TILT & ROTATION	Not applicable.	
WIND SPEED	58 km/h, 36 mph - Maximum wind speed to which the umbrella may be exposed.	JCP.203 - ø 450 cm

56 kg, 123.5 lbs nett

# 400 X 400 CM



## UBJCP.2S-3S BASE

S01 white	S02 silver
S31 charcoal	


UBIGB-JCP.2S-3S in ground base UBOGB-JCP.2S-3S on ground base

### PROTECTION COVER

UPJCP.2S-X77 black

#### GUTTERS p. 90

UAJCP.2S colour of the canopy



All dimensions exclude the base.

\* Stainless steel LOXX® to easily attach the canopy to the frame and detach it.

\*\* Easy to open and close without touching furniture.



BASE

- Base with 4 wheels that rotate 360°, each with brakes to fix the umbrella.
- · Has the same colour as its frame.



# IN GROUND BASE

Anchored in the ground with concrete. Can not be moved.



## ON GROUND BASE

Only possible with a substrate where chemical anchoring is possible.



# 500 X 500 CM



## UBJCP.2S-3S BASE

S01 white	S02 silver
<b>S31</b> charcoal	


UBIGB-JCP.2S-3S in ground base UBOGB-JCP.2S-3S on ground base

#### PROTECTION COVER

UPJCP.2S-X77 black

### GUTTERS p. 90


**UAJCP.2S** colour of the canopy



All dimensions exclude the base.

\* Stainless steel LOXX® to easily attach the canopy to the frame and detach it.

\*\* Easy to open and close without touching furniture.



BASE

- Base with 4 wheels that rotate 360°, each with brakes to fix the umbrella.
- · Has the same colour as its frame.



# IN GROUND BASE

Anchored in the ground with concrete. Can not be moved.

56 kg, 123.5 lbs nett excl. base

192



# ON GROUND BASE

Only possible with a substrate where chemical anchoring is possible.

42 kg, 92.6 lbs nett

# Ø 450 CM




#### UBJCP.2S-3S BASE

	S01 white		<b>S02</b> silver
	S31 charcoal		
UBIGB-JCP.2S-3S in ground base			

UBOGB-JCP.2S-3S in ground base

#### PROTECTION COVER

UPJCP.2S-X77 black



All dimensions exclude the base.

\* Stainless steel LOXX® to easily attach the canopy to the frame and detach it.

\*\* Easy to open and close without touching furniture.



BASE

- Base with 4 wheels that rotate 360°, each with brakes to fix the umbrella.
- · Has the same colour as its frame.



# IN GROUND BASE

Anchored in the ground with concrete. Can not be moved.



# ON GROUND BASE

Only possible with a substrate where chemical anchoring is possible.



# JCP.3 **SERIES**

$\checkmark$	Full aluminium frame.
$\checkmark$	Shade wherever you like, depending on the position of the sun.
$\checkmark$	Put together according to your taste and preference.
$\checkmark$	Ideal for both private use and hospitality projects.

Free pole umbrella with crank handle. Pole and ribs are aluminium powder coated.

320g/m<sup>2</sup> Sunbrella® Plus, 100% solution dyed acrylic.

Tilt in height, left and right.

the umbrella may be exposed.

of the pole.

Pole profile: 80 x 80 x 2.3 mm, 3.5 x 3.5 x 0.09".



JCP.301 - 300 x 300 cm



JCP.302 - 260 x 260 cm





JCP.303 - ø 350 cm






FRAME

CANOPY

BASE

# (360°) (M)

### 42 kg, 92.6 lbs nett excl. base



## UBJCP.2S-3S BASE

300 X 300 CM

UFJCP.301 FRAME

UCJCP.301 CANOPY

A01 white

A10 cappuccino

A31 charcoal

C003 pearl

C305 umber

C107 mooncrest

C416 sapphire

C100 ice

FIXED COMBO

**MIX & MATCH** 

UMJCP.301 FRAME & CANOPY

A01C101 white & cloud

A12C001 alu teak & natural

A31C101 charcoal & cloud

A31C204 charcoal & night A32C208 black & black

=0

=0

=0

A02 silver

A32 black

A12 alu teak

C011 cotton

C207 onyx

C210 pitch

Free pick: Other fabrics available upon request.

=Ö

=Ö



### PROTECTION COVER

UPJCP.3S-X77 black



#### BASE

· Base with 4 wheels that rotate 360°, each with brakes to fix the umbrella. Has the same colour as its frame. For a frame in alu teak and cappuccino we provide a charcoal base.




# IN GROUND BASE

Anchored in the ground with concrete. Can not be moved.



# ON GROUND BASE

Only possible with a substrate where chemical anchoring is possible.



All dimensions exclude the base.

\* Stainless steel LOXX® to easily attach the canopy to the frame and detach it.



# 260 X 260 CM

UMJCP.302 FRAME & CANOPY

õ		A01C101 white & cloud
OMB		A12C001 alu teak & natural
XED 0		A31C101 charcoal & cloud
Ē		A31C204 charcoal & night

#### UFJCP.302 FRAME




#### UBJCP.2S-3S BASE


S01 white	<b>S02</b> silver
S31 charcoal	

UBIGB-JCP.2S-3S in ground base UBOGB-JCP.2S-3S on ground base

#### PROTECTION COVER

UPJCP.3S-X77 black






LOXX<sup>®</sup> system\*

All dimensions exclude the base.

\* Stainless steel LOXX® to easily attach the canopy to the frame and detach it..



#### BASE

Base with 4 wheels that rotate 360°, each with brakes to fix the umbrella.
Has the same colour as its frame. For a frame in alu teak and cappuccino we provide a charcoal base.





Anchored in the ground with concrete. Can not be moved.



### ON GROUND BASE


Only possible with a substrate where chemical anchoring is possible.








### 34 kg, 74.9 lbs nett excl. base



All dimensions exclude the base. - Toutes les dimensions excluent le socle. \* Stainless steel LOXX® to easily attach the canopy to the frame and detach it.



#### BASE

Base with 4 wheels that rotate 360°, each with brakes to fix the umbrella.
Has the same colour as its frame. For a frame in alu teak and cappuccino we provide a charcoal base.



### IN GROUND BASE

Anchored in the ground with concrete. Can not be moved.



# ON GROUND BASE

Only possible with a substrate where chemical anchoring is possible.



#### UBJCP.2S-3S BASE

Ø 350 CM

	S01 white		S02 silver	
	S31 charcoal			
UBIGB-JCP.2S-3S in ground base				

UBOGB-JCP.25-35 in ground base

#### PROTECTION COVER

UPJCP.3S-X77 black



# JCP.4 SERIES

<	$\checkmark$	Full aluminium frame.
<	$\checkmark$	Despite its weight of 309 kg (incl. base), an elegant appearance.
<	$\checkmark$	Variations in dimensions, finishes and colours.
<	$\checkmark$	Ideal for a lounge setting or over long dining tables.



JCP.401 - 370 x 370 cm



JCP.402 - 425 x 300 cm



JCP.403 - ø 400 cm




JCP.404 - 250 x 350 cm

FRAME	Free pole umbrella with crank handle. Pole and ribs are aluminium powder coated. Pole profile: 100 x 100 x 3.5 mm, 3.9 x 3.9 x 0.2". Ribs profile: 32 x 32 x 1.6 mm, 1.2 x 1.2 x 0.06".
CANOPY	320g/m² Sunbrella® Plus, 100% solution dyed acrylic. ₅© Fast stock: canopies available from stock.
BASE	3 hot galvanized steel plates, powder coated.
TILT & ROTATION	Tilt in height. Rotation of 360° by means of a pin at the bottom of the pole.
WIND SPEED	58 km/h, 36 mph - Maximum wind speed to which the umbrella may be exposed.





# 64 kg, 141.1 lbs nett excl. base



All dimensions exclude the base.

\* Stainless steel LOXX® to easily attach the canopy to the frame and detach it.



UFJCP.401 FRAME

FIXED COMBO

370 X 370 CM

UMJCP.401 FRAME & CANOPY

		A10 cappuccino			A12 alu teak	
		A31 charcoal			A32 black	
& MATCH	UCJCP.4	01 CANOPY				
		C003 pearl	<b>_</b>		C011 cotton	Ē
MIX		<b>C100</b> ice	Ő=		<b>C207</b> onyx	=0
		C305 umber	=Ö			
		C107 mooncrest			C210 pitch	
		C416 sapphire		Free pick: O	ther fabrics available upon req	uest.

A02 silver

A01C101 white & cloud

A12C001 alu teak & natural

A31C101 charcoal & cloud

A31C204 charcoal & night A32C208 black & black


### UBJCP.45 BASE



UBOGB-JCP.4S-5S-6S on ground base

### PROTECTION COVER

UPJCP.4S-X77 black



BASE

- · Base with 4 wheels that rotate 360°, each with brakes to fix the umbrella. Has the same colour as its frame. For a frame in alu teak and cappuccino
- we provide a charcoal base.





IN GROUND BASE

Anchored in the ground with concrete. Can not be moved.

# ON GROUND BASE

Only possible with a substrate where chemical anchoring is possible.



# 425 X 300 CM




# UBJCP.45 BASE



UBIGB-JCP.4S-5S-6S in ground base UBOGB-JCP.4S-5S-6S on ground base

### PROTECTION COVER

UPJCP.4S-X77 black




All dimensions exclude the base.

\* Stainless steel LOXX® to easily attach the canopy to the frame and detach it.



### BASE

- Base with 4 wheels that rotate 360°, each with brakes to fix the umbrella.
  Has the same colour as its frame.
- For a frame in alu teak and cappuccino





## IN GROUND BASE

Anchored in the ground with concrete. Can not be moved.

360"

53 kg, 116.8 lbs nett

excl. base




# ON GROUND BASE


Only possible with a substrate where chemical anchoring is possible.



# 53 kg, 116.8 lbs nett excl. base



All dimensions exclude the base. \* Stainless steel LOXX® to easily attach the canopy to the frame and detach it.



# BASE

- Base with 4 wheels that rotate 360°, each with brakes to fix the umbrella.
  Has the same colour as its frame.
- For a frame in alu teak and cappuccino we provide a charcoal base.



# IN GROUND BASE

Anchored in the ground with concrete. Can not be moved.



# ON GROUND BASE

Only possible with a substrate where chemical anchoring is possible.

# UFJCP.403 FRAME A01 white A02 silver A12 alu teak A10 cappuccino A31 charcoal **MIX & MATCH** UCJCP.403 CANOPY C011 cotton C003 pearl C100 ice C107 mooncrest C207 onyx C210 pitch C305 umber C416 sapphire Free pick: Other fabrics available upon request.

## UBJCP.45 BASE

Ø 400 CM

S01 white	<b>S02</b> silver
S31 charcoal	


UBIGB-JCP.4S-5S-6S in ground base UBOGB-JCP.4S-5S-6S on ground base

### PROTECTION COVER

UPJCP.4S-X77 black



# 250 X 350 CM



## **UBJCP.4S** BASE - SOCLE




UBIGB-JCP.4S-5S-6S in ground base UBOGB-JCP.4S-5S-6S on ground base

### PROTECTION COVER


UPJCP.4S-X77 black





All dimensions exclude the base.

\* Stainless steel LOXX  $\!\!\!\!$  to easily attach the canopy to the frame and detach it.



### BASE

- · Base with 4 wheels that rotate 360°, each with brakes to fix the umbrella. Has the same colour as its frame.
- For a frame in alu teak and cappuccino we provide a charcoal base.



### IN GROUND BASE

Anchored in the ground with concrete. Can not be moved.

₹ 360° 5


60 kg, 132.3 lbs nett

excl. base



# ON GROUND BASE

Only possible with a substrate where chemical anchoring is possible.



JCP.403 ø 400 cm A31 charcoal C207 onyx



# JCP.5 SERIES

T) 55

Full aluminium frame.

 $\sim$ 

- 4 free pole umbrellas on one mid pole.
- Heavy 300 kg steel base or in ground base.
- Ideal for hospitality projects.


FRAME	4 free pole umbrellas with crank handle. Pole and ribs are aluminium powder coated. Pole profile: 150 x 150 x 3.6 mm, 5,9 x 5,9 x 0.14". Ribs profile: 32 x 32 x 2.5 mm, 1.2 x 1.2 x 0.1".	
CANOPY	320g/m² Sunbrella® Plus, 100% solution dyed acrylic. ₹ <b>Ů</b> Fast stock: canopies available from stock.	
BASE	3 hot galvanised steel plates, powder coated.	
TILT	Tilt in height.	
WIND SPEED	58 km/h, 36 mph - Maximum wind speed to which the umbrella may be exposed.	JCP.501 - 4* 300 x 300 cm

143.5 kg, 316.4 lbs nett



excl. base

# 4\* 300 X 300 CM



## UBJCP.5S-6S BASE

S02 silver	S31 charcoal
UBIGB-JCP.4S-5S-6S in ground base UBOGB-JCP.4S-5S-6S on ground base	


### PROTECTION COVER

UPJCP.5S-X77 black	

# UAJCP.5S - GUTTERS (4x) p. 90


A fabric from our fast stock	-0
Other fabric of your choice	

Slider & crank handle



\* Stainless steel LOXX® to easily attach the canopy to the frame and detach it.

- 87.6 8





All dimensions exclude the base.

BASE

· Base without wheels. Has the same colour as its frame. For a frame in alu teak we provide a charcoal base.



# IN GROUND BASE

Anchored in the ground with concrete. Can not be moved.



# ON GROUND BASE

Only possible with a substrate where chemical anchoring is possible.

118



# JCP.6 SERIES

T) 53

Full aluminium frame.

 $\swarrow$ 

2 free pole umbrellas on one mid pole.

Heavy 300 kg steel base or in ground base.

Ideal for hospitality projects.

F	FRAME	2 free pole umbrellas with crank handle. Pole and ribs are aluminium powder coated. Pole profile: 150 x 150 x 3.6 mm, 5.9 x 5.9 x 0.14". Ribs profile: 32 x 32 x 2.5 mm, 1.2 x 1.2 x 0.1".	
C	CANOPY	320g/m² Sunbrella® Plus, 100% solution dyed acrylic. =© Fast stock: canopies available on stock.	
E	BASE	Hot galvanized steel plate, powder coated.	-
Т	TILT	Tilt in height.	
V	WIND SPEED	58 km/h, 36 mph - Maximum wind speed to which the umbrella may be exposed.	JCP 601 -



JCP.601 - 2\* 300 x 300 cm


86.5 kg, 190.7 lbs nett

excl. base

0.36 cm - 0.14"

# 2\* 300 X 300 CM






## UBJCP.5S-6S BASE

S	31 charcoal	
	P.4S-5S-6S in ground base CP.4S-5S-6S on ground base	


## PROTECTION COVER


UPJCP.6S-X77 black



All dimensions exclude the base.

\* Stainless steel LOXX® to easily attach the canopy to the frame and detach it.





# BASE

Base without wheels.
Has the same colour as its frame.
For a frame in alu teak we provide a charcoal base.



# IN GROUND BASE

Anchored in the ground with concrete. Can not be moved.



# ON GROUND BASE

Only possible with a substrate where chemical anchoring is possible.



Material SPECIFICATIONS

Our materials are always selected in function of intensive outdoor use and exposure to the sun. Jardinico only works with the best materials to ensure the best quality, added value and a luxurious appearance in any environment around the globe. Quality, aesthetics and durability are absolute top priorities. The best materials embrace Caractère's beautiful design for you to enjoy the outdoors carefree for many years to come.

# MATERIALS



All fabrics for the outdoor umbrellas canopies from the Caractère collection are from Sunbrella® PLUS Marine collection and made of solution dyed acrylic yarns. A global reference for marine applications, 100% recyclable and ideal for sun, wind and rain protection.

### Performance

All canopies are made of solutions dyed acrylic. This means the colour of the fabric runs all the way through the yarn. The colour is added to the liquid solution that the yarn is extruded from. Only solution dyed fabrics keep their colour and are resistant to fading under the effect of UV rays when exposed to the sun.

## Stain resistant & waterproof

All fabrics have a surface finish that makes the fabric water and stain repellent. A coating on the reverse side makes the fabric waterproof, mildew resistant and keeps its drying time to a minimum. Please consult our product data sheets or website to learn more on how to care and maintain your fabrics.

# MATERIALS

# FABRICS



### Technical data

Composition	100% solution dyed acrylic from Sunbrella® PLUS Marine collection
Finish	Resin based anti-fungi coating, water and UV resistant
Weight	320 g/m <sup>2</sup>
UPF 50+	The fabric filters more than 98% of UVB rays
Colour fastness UV ISO 105 B02	UV ISO 105 B02: 7-8 / 8 dry & wet friction: 5 / 5

## Fast stock

Canopies available from stock. We offer 'fast stock' to speed up the delivery time of our canopies. We selected a few fabrics of which canopies are held in stock in Belgium and can be delivered quickly. This service is subject to availability of raw materials worldwide. These colours are shown above with the following icon: -

It is always possible to order canopies that differ from the fast stock colours. A delivery time of six to eight weeks should be taken into account. An overview of all available fabrics can be found above.



MATERIALS 85



# MATERIALS

# **POWDER COATED ALUMINIUM**



A31 A32

charcoal

# black

# **STAINLESS POWDER COATED STEEL**



Aluminium treated with a structured coloured coating.

Epoxy powder coating to increase durability and strength. It makes the material water repellent, stain and scratch resistant.

Excellent resistance to corrosion under the effect of various weather conditions due to the technique also used in marine applications.

Suitable for outdoor use. Easy to clean and maintain.

Hot galvanised steel plates treated with a structured coloured coating.

Structured powder coating to increase durability and strength. It makes the material water repellent, stain and scratch resistant.

Stainless steel with excellent resistance to corrosion under the effect of various weather conditions due to the technique also used in marine applications.

Suitable for outdoor use. Easy to clean and maintain.



101 & MAINTENANCE

To enhance the durability and appearance of your outdoor umbrella, we recommend following our care instructions regularly. The umbrella should never be used in strong wind or rainy conditions. An open umbrella should never be left unattended. The umbrella should be protected against blurring or damage by always using its accompanying protection cover. During autumn and winter, we advise to store the umbrella in a dry place when not in use.

# PROTECTION

# **PROTECTION COVER**

We suggest to always use the protection cover to protect your outdoor umbrella from poor weather conditions or when not in use during the summer. The protection cover can be placed over the umbrella and its pole. The stain resistant and water repellent cover will extend its life for you to enjoy your umbrella whenever you like.

Ref.	Colour	Swatch	Weight	About this fabric
X77	Black		240 g/m <sup>2</sup>	Sunbrella® surlast black, 100% solution dyed acrylic with PU coating



# **GUTTERS**

Gutters provide uninterrupted protection between multiple outdoor umbrellas. Connecting umbrellas enables large areas to have complete coverage from the sun or rainy weather conditions.

A gutter is always attached to the umbrella at a slight decline to allow water to drain off efficiently in desired directions.

Our gutters are only applicable on the following umbrellas:

- · JCP.201 (p. 65)
- · JCP.202 (p. 66)
- · JCP.501 (p. 79)

They are available in the same colour as your umbrella canopy to blend in perfectly.



# MAINTENANCE



# FRAME & BASE


Clean the aluminium frame with a damp cloth, mild soap and water. Do not use any sharp tool to avoid scratches.

# CANOPY

Before use, you can apply an invisible film to make the canopy stain and water repellent by using a textile protector. You can maintain and clean your canopy by following a few simple steps:

- · Brush off loose dirt before it becomes embedded in the fabric.
- Hose down.
- Spot clean soon after stains occur with water and mild soap or a textile cleaner (no detergents).
   Use a soft bristle brush to clean.
- · Allow soap to soak in.
- · Rinse thoroughly.
- · Always let the canopy air dry completely before storing or covering.

Machine wash in cold water. Depending on wash load size, use normal amounts of mild laundry detergent and add 1 cup of bleach. Allow fabric to air dry. Never subject to excessive heat, steam press or tumble dry as the fabric wil shrink.



# MAINTENANCE SET



Quick-drying liquid paint with built-in brush for powder-coated surfaces. Ideal for retouching small surface traces (scratches, wear).



. REFERENCES

Fairmont Royal palm - Marrakesh - Morocco Sea lounge - Porto-Vecchio - Corsica Cove beach - Dubai - UAE Limonade Maillot - Paris - France Kempinski - Aqaba - Jordan Jules Bar - Kortrijk - Belgium Radisson Blu - Wiesbaden - Germany Limonade Maillot - Paris - France Wittamer - Brussels - Belgium Kempinski Hotel - Bruges - Belgium Blue Origin - Deerlijk - Belgium Blue Buddha Beachclub - Knokke - Belgium Collin's Beach - Knokke - Belgium Bar d'O Beach Club - Knokke - Belgium Blue Buddha beach club - Knokke - Belgium Kruisheren Hotel - Maastricht - The Netherlands Country Club - Samois Sur Seine - France Le Couvent des Minimes - Mane - France Hôtel Julien - Fouday - France Peninsula - Paris - France

Golf Up - Grimaud - France Nørgaard - Hornbaek - Denmark La Plage - Casadelmar - Corsica Yacht Club - Porto-Montenegro La Gazelle d'Or - Tunesia Parkhotel - Kortrijk - Belgium Eyebar - Hong Kong - China Honi Honi Bar - Hong Kong - China Wooloo Mooloo - Hong Kong - China Retreat & Spa - Maledives Berjaya Hotel - Kuala Lumpur - Malaysia Mulia Hotel - Bali - Indonesia Age-Hassim Hill - Singapore Joe's Café - Doha - Qatar Utopia - Abu Dhabi Mercure Hotel Harbourside - Carens - Australia Royalton Hotel Riviera Cancum - Mexico Grand Palladium Lady Hamilton - Jamaïca Radisson Blu - Dakar - Senegal

Catalogue made thanks to:

- Jardinico<sup>®</sup> team
- Shoot Photography
   Steije.be Creative Video Agency
- · Frederik Naessens Transport

# JARDINICO PARASOLS BV Evolis 101

8530 Harelbeke Belgium

T +32 (0)56 89 04 10

info@jardinico.com www.jardinico.com

## Follow us on:



Visit our website to learn more:



www.jardinico.com